



**HARBOR VIEW STP
PERMIT REISSUANCE APPLICATION
2012**

ATTN : JOAN CROWTHER



*revised submittal
date
Jce*

Commonwealth of Virginia



State Corporation Commission

CERTIFICATE OF GOOD STANDING

I Certify the Following from the Records of the Commission:

That COLCHESTER UTILITIES, INC. is duly incorporated under the law of the Commonwealth of Virginia;

That the date of its incorporation is April 5, 1963;

That the period of its duration is perpetual; and

That the corporation is in existence and in good standing in the Commonwealth of Virginia as of the date set forth below.

Nothing more is hereby certified.



*Signed and Sealed at Richmond on this Date:
December 14, 2012*

Joel H. Peck

Joel H. Peck, Clerk of the Commission

PUBLIC NOTICE BILLING INFORMATION

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in accordance with 9 VAC 25-31-290.C.2.

Agent/Department to be billed:

Colchester Utilities, Inc.

Owner:

UTILITIES INC

Applicant's Address:

P.O. Box 379

Dunkirk, MD 20754

Agent's Telephone Number:

703-339-7169

Authorizing Agent:

Tony J. Shay
Signature

VPDES Permit No. VA0029416
Harbor View Sewage Treatment Plant

Please return to:

Joan C. Crowther
VA-DEQ, NRO
13901 Crown Court
Woodbridge, VA 22193-1453
Fax: (703)583-3821





COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

NORTHERN REGIONAL OFFICE

13901 Crown Court, Woodbridge, Virginia 22193

(703) 583-3800 Fax (703) 583-3821

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

Thomas A. Faha
Regional Director

June 13, 2012

Mr. Tony L. Sharp (Via Email Address TLSharp@uiwater.com)
Regional Manager
Colchester Utilities, Incorporated
P.O. Box 379
Dunkirk, MD 20754

Re: Harbor View Sewage Treatment Plant, VPDES Permit No. VA0029416, Permit Reissuance Reminder Letter

Dear Mr. Sharp:

This letter is to remind you that your VPDES permit will expire on June 24, 2013. If you wish to continue discharging, you must reapply for the permit. The State Water Control Board's VPDES Permit Regulation requires that we receive a complete application at least 180 days before the existing permit expires. The deadline for submitting the application is December 26, 2012. Early submissions are encouraged and will better enable us to complete processing before permit expiration. The application forms and instructions are available on the DEQ website at: [Virginia DEQ - VPDES Permits, Fees, and Regulations](http://www.deq.virginia.gov/Programs/Water/PermittingCompliance/PollutionDischargeElimination/PermitsFees.spx) (<http://www.deq.virginia.gov/Programs/Water/PermittingCompliance/PollutionDischargeElimination/PermitsFees.spx>). Based on your current permit, your facility is required to submit the following forms: EPA General Form 1, EPA Form 2A, VPDES Permit Application Addendum, and the Sludge Application.

Please note that DEQ and EPA will no longer accept waiver requests from the sampling or testing requirements in the application forms. You shall complete all applicable sections of the application.

Upon completing the application, return the original to the Northern Regional Office at the above address. Also, please submit an electronic copy of the application on CD or e-mail an electronic copy of the application to me at joan.crowther@deq.virginia.gov.

There is no application fee for a regularly scheduled reissuance of an individual permit; that fee has been replaced by an annual permit maintenance fee which is to be paid by October 1 of each year. No permit will be reissued unless all maintenance fee payments are up to date.

DEQ has launched an e-DMR program that allows you to submit effluent data electronically. We expect every permittee to use e-DMR as permits are reissued and exceptions will only be allowed on a case by case basis. There are many benefits to both DEQ and the permittee when e-DMR is utilized for submissions:

- 1) Fewer revisions for data since the e-DMR program automatically flags omissions before the data is submitted;
- 2) Cost savings on postage, copying, and paper;
- 3) No concerns about using the most current DMR – e-DMR refreshes the required parameters automatically when changes are needed;

- 4) Submittals can be made on a timelier basis; and
- 5) Electronic signatures from multiple people are allowed and e-DMR can be accessed from multiple computer locations.

The following website provides details <http://www.deq.virginia.gov/water/edmrfaq.html> and our regional e-DMR administrator, Becky Vice at rebecca.vice@deq.virginia.gov or (703)583-3922 can also assist you.

Please contact me at (703) 583-3925 or joan.crowther@deq.virginia.gov if you have questions.

Sincerely,



Joan C. Crowther
VPDES Permit Writer

cc: VA0029416 Reissuance File

Enc.: Paperwork Reduction Act notice
Public Notice Billing Information Form
Pollution Prevention Flyer
Common Application Errors

| FORM 1 GENERAL | | U.S. ENVIRONMENTAL PROTECTION AGENCY GENERAL INFORMATION Consolidated Permits Program (Read the "General Instructions" before starting.) | | I. EPA I.D. NUMBER | | T/A | | C | | | |
|---|--|---|----------|--------------------|---------------|---|--|----|----------|----|---------------|
| LABEL ITEMS | | PLEASE PLACE LABEL IN THIS SPACE | | F VA0029416 | | | | D | | | |
| I. EPA I.D. NUMBER | | | | 13 | | 14 | | 15 | | | |
| III. FACILITY NAME | | | | | | | | | | | |
| V. FACILITY MAILING ADDRESS | | | | | | | | | | | |
| VI. FACILITY LOCATION | | | | | | | | | | | |
| II. POLLUTANT CHARACTERISTICS | | | | | | | | | | | |
| INSTRUCTIONS: Complete A through J to determine whether you need to submit any permit application forms to the EPA. If you answer "yes" to any questions, you must submit this form and the supplemental form listed in the parenthesis following the question. Mark "X" in the box in the third column if the supplemental form is attached. If you answer "no" to each question, you need not submit any of these forms. You may answer "no" if your activity is excluded from permit requirements; see Section C of the instructions. See also, Section D of the instructions for definitions of bold-faced terms . | | | | | | | | | | | |
| SPECIFIC QUESTIONS | | | Mark "X" | | | SPECIFIC QUESTIONS | | | Mark "X" | | |
| | | | YES | NO | FORM ATTACHED | | | | YES | NO | FORM ATTACHED |
| A. Is this facility a publicly owned treatment works which results in a discharge to waters of the U.S. ? (FORM 2A) | | | | X | | B. Does or will this facility (<i>either existing or proposed</i>) include a concentrated animal feeding operation or aquatic animal production facility which results in a discharge to waters of the U.S. ? (FORM 2B) | | | | X | |
| | | | 16 | 17 | 18 | | | | 19 | 20 | 21 |
| C. Is this a facility which currently results in discharges to waters of the U.S. other than those described in A or B above? (FORM 2C) | | | X | | | D. Is this a proposed facility (<i>other than those described in A or B above</i>) which will result in a discharge to waters of the U.S. ? (FORM 2D) | | | | X | |
| | | | 22 | 23 | 24 | | | | 25 | 26 | 27 |
| E. Does or will this facility treat, store, or dispose of hazardous wastes ? (FORM 3) | | | | X | | F. Do you or will you inject at this facility industrial or municipal effluent below the lowermost stratum containing, within one quarter mile of the well bore, underground sources of drinking water? (FORM 4) | | | | X | |
| | | | 28 | 29 | 30 | | | | 31 | 32 | 33 |
| G. Do you or will you inject at this facility any produced water or other fluids which are brought to the surface in connection with conventional oil or natural gas production, inject fluids used for enhanced recovery of oil or natural gas, or inject fluids for storage of liquid hydrocarbons? (FORM 4) | | | | X | | H. Do you or will you inject at this facility fluids for special processes such as mining of sulfur by the Frasch process, solution mining of minerals, in situ combustion of fossil fuel, or recovery of geothermal energy? (FORM 4) | | | | X | |
| | | | 34 | 35 | 36 | | | | 37 | 38 | 39 |
| I. Is this facility a proposed stationary source which is one of the 28 industrial categories listed in the instructions and which will potentially emit 100 tons per year of any air pollutant regulated under the Clean Air Act and may affect or be located in an attainment area? (FORM 5) | | | | X | | J. Is this facility a proposed stationary source which is NOT one of the 28 industrial categories listed in the instructions and which will potentially emit 250 tons per year of any air pollutant regulated under the Clean Air Act and may affect or be located in an attainment area? (FORM 5) | | | | X | |
| | | | 40 | 41 | 42 | | | | 43 | 44 | 45 |
| III. NAME OF FACILITY | | | | | | | | | | | |
| C SKIP COLCHESTER UTILITIES, INCORPORATED | | | | | | | | | | | |
| 15 16 - 29 30 60 | | | | | | | | | | | |
| IV. FACILITY CONTACT | | | | | | | | | | | |
| A. NAME & TITLE (<i>last, first, & title</i>) | | | | | | | | | | | |
| C 2 SHARP, TONY REGIONAL MANAGER | | | | | | | | | | | |
| B. PHONE (<i>area code & no.</i>) | | | | | | | | | | | |
| (410) 286-5533 | | | | | | | | | | | |
| 15 16 45 46 48 49 51 52 55 | | | | | | | | | | | |
| V. FACILITY MAILING ADDRESS | | | | | | | | | | | |
| A. STREET OR P.O. BOX | | | | | | | | | | | |
| C 3 10609 GREENE DR | | | | | | | | | | | |
| 15 16 45 | | | | | | | | | | | |
| B. CITY OR TOWN | | | | | | | | | | | |
| C 4 LORTON | | | | | | | | | | | |
| 15 16 40 41 42 47 51 | | | | | | | | | | | |
| D. ZIP CODE | | | | | | | | | | | |
| 22079 | | | | | | | | | | | |
| VI. FACILITY LOCATION | | | | | | | | | | | |
| A. STREET, ROUTE NO. OR OTHER SPECIFIC IDENTIFIER | | | | | | | | | | | |
| C 5 10609 GREENE DR | | | | | | | | | | | |
| 15 16 45 | | | | | | | | | | | |
| B. COUNTY NAME | | | | | | | | | | | |
| FAIRFAX | | | | | | | | | | | |
| 46 70 | | | | | | | | | | | |
| C. CITY OR TOWN | | | | | | | | | | | |
| C 6 LORTON | | | | | | | | | | | |
| 15 16 40 41 42 47 51 52 54 | | | | | | | | | | | |
| D. STATE | | | | | | | | | | | |
| VA | | | | | | | | | | | |
| E. ZIP CODE | | | | | | | | | | | |
| 22079 | | | | | | | | | | | |
| F. COUNTY CODE (<i>if known</i>) | | | | | | | | | | | |

CONTINUED FROM THE FRONT

VII. SIC CODES (4-digit, in order of priority)

| | | | | | | | | | | | | | | | | | | | | |
|----------|----|----|----|-----------|--|--|--|--|--|-----------|----|----|----|-----------|--|--|--|--|--|--|
| A. FIRST | | | | | | | | | | B. SECOND | | | | | | | | | | |
| C | T | I | I | (specify) | | | | | | C | T | I | I | (specify) | | | | | | |
| 7 | 4 | 9 | 5 | 2 | | | | | | | 7 | | | | | | | | | |
| 15 | 16 | 17 | 18 | | | | | | | 15 | 16 | 17 | 18 | | | | | | | |
| C. THIRD | | | | | | | | | | D. FOURTH | | | | | | | | | | |
| C | T | I | I | (specify) | | | | | | C | T | I | I | (specify) | | | | | | |
| 7 | | | | | | | | | | 7 | | | | | | | | | | |
| 15 | 16 | 17 | 18 | | | | | | | 15 | 16 | 17 | 18 | | | | | | | |

VIII. OPERATOR INFORMATION

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| A. NAME | | | | | | | | | | | | | | | | | | | | | | | | | B. Is the name listed in Item VIII-A also the owner? | | | | | | | | | | | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | | | | | | | | | | | | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | TONY SHARP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | 16 | | | | | | | | | | | | | | | | | | | | | | | | 15 | 16 | | | | | | | | | | | | | | | | | | | | | | | |

C. STATUS OF OPERATOR (Enter the appropriate letter into the answer box: if "Other," specify.)

F = FEDERAL
S = STATE
P = PRIVATE

M = PUBLIC (other than federal or state)
O = OTHER (specify)

P

(specify)

D. PHONE (area code & no.)

A (410) 286-5533

15 16 17 18 19 20 21 22 23 24 25

E. STREET OR P.O. BOX

PO BOX 379

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|-------|---|--|-----------------|----|----|----|
| F. CITY OR TOWN | | | | | | | | | | | | | | | | | | | | G. STATE | | H. ZIP CODE | | IX. INDIAN LAND | | | |
| C | | | | | | | | | | | | | | | | | | | C | T | C | T | Is the facility located on Indian lands? | | | | |
| B | DUNKIRK | | | | | | | | | | | | | | | | | | MD | | 20754 | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | | | | | |
| 15 | 16 | | | | | | | | | | | | | | | | | | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 |

X. EXISTING ENVIRONMENTAL PERMITS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----|----|-----------|--|--|--|--|--|--|--|--|--|--|--|--|----|----|-----------|----|----|----|----|----|----|----|----|--|--|--|--|--|
| A. NPDES (Discharges to Surface Water) | | | | | | | | | | | | | | | D. PSD (Air Emissions from Proposed Sources) | | | | | | | | | | | | | | | | |
| C | T | I | (specify) | | | | | | | | | | | | C | T | I | (specify) | | | | | | | | | | | | | |
| B | N | | VA0029416 | | | | | | | | | | | | 9 | P | | | | | | | | | | | | | | | |
| 15 | 16 | 17 | 18 | | | | | | | | | | | | | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | | | | | |
| B. UIG (Underground Injection of Fluids) | | | | | | | | | | | | | | | E. OTHER (specify) | | | | | | | | | | | | | | | | |
| C | T | I | (specify) | | | | | | | | | | | | C | T | I | (specify) | | | | | | | | | | | | | |
| 9 | U | | | | | | | | | | | | | | 9 | | | | | | | | | | | | | | | | |
| 15 | 16 | 17 | 18 | | | | | | | | | | | | | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | | | | | |
| C. RCRA (Hazardous Wastes) | | | | | | | | | | | | | | | E. OTHER (specify) | | | | | | | | | | | | | | | | |
| C | T | I | (specify) | | | | | | | | | | | | C | T | I | (specify) | | | | | | | | | | | | | |
| 9 | R | | | | | | | | | | | | | | 9 | | | | | | | | | | | | | | | | |
| 15 | 16 | 17 | 18 | | | | | | | | | | | | | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | | | | | |

XI. MAP

Attach to this application a topographic map of the area extending to at least one mile beyond property boundaries. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it injects fluids underground. Include all springs, rivers, and other surface water bodies in the map area. See instructions for precise requirements.

XII. NATURE OF BUSINESS (provide a brief description)

WASTEWATER TREATMENT FACILITY RATED FOR .80 MGD THAT SERVES 170 RESIDENTIAL CONNECTIONS

XIII. CERTIFICATION (see instructions)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attachments and that, based on my inquiry of those persons immediately responsible for obtaining the information contained in the application, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------|--|--|--|--|--|--|--|--|--|
| A. NAME & OFFICIAL TITLE (type or print) | | | | | | | | | | | | | | | B. SIGNATURE | | | | | | | | | | | | | | | C. DATE SIGNED | | | | | | | | | |
| TONY SHARP REGIONAL MANAGER | | | | | | | | | | | | | | | Tony J. Sharp | | | | | | | | | | | | | | | 11-6-2012 | | | | | | | | | |

COMMENTS FOR OFFICIAL USE ONLY

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| C | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | 16 | | | | | | | | | | | | | | | | | | | | | | | | 55 |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS:

All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet.

A.1. Facility Information.

Facility name Colchester Utilities Inc

Mailing Address P.O. Box 379
Dunkirk, MD 20754

Contact person Mark T. Baker

Title Area Manager

Telephone number (703) 339-7169

Facility Address 10609 Greene Drive
(not P.O. Box) Lorton, VA 22079

A.2. Applicant Information. If the applicant is different from the above, provide the following:

Applicant name Colchester Utilities Inc

Mailing Address P.O. Box 379
Dunkirk, MD 20754

Contact person Tony L. Sharp

Title Regional Manager

Telephone number (410) 286-5533

Is the applicant the owner or operator (or both) of the treatment works?

☒ owner ☒ operator

Indicate whether correspondence regarding this permit should be directed to the facility or the applicant.

☒ facility ☐ applicant

A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits).

NPDES VA0029416 PSD _____

UIC _____ Other _____

RCRA _____ Other _____

A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.).

| Name | Population Served | Type of Collection System | Ownership |
|-------------------------------|-------------------|---------------------------|----------------|
| <u>Harbor View</u> | <u>170 Homes</u> | <u>Seperate</u> | <u>Private</u> |
| _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ |
| Total population served _____ | | | |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

A.5. Indian Country.

- a. Is the treatment works located in Indian Country?

☐ Yes ☒ No

- b. Does the treatment works discharge to a receiving water that is either in Indian Country or that is upstream from (and eventually flows through) Indian Country?

☐ Yes ☒ No

A.6. Flow. Indicate the design flow rate of the treatment plant (i.e., the wastewater flow rate that the plant was built to handle). Also provide the average daily flow rate and maximum daily flow rate for each of the last three years. Each year's data must be based on a 12-month time period with the 12th month of "this year" occurring no more than three months prior to this application submittal.

- a. Design flow rate
- 0.080
- mgd

| | <u>Two Years Ago</u> | <u>Last Year</u> | <u>This Year</u> |
|-----------------------------------|----------------------|------------------|------------------|
| b. Annual average daily flow rate | <u>0.024</u> | <u>0.033</u> | <u>0.027</u> mgd |
| c. Maximum daily flow rate | <u>0.120</u> | <u>0.069</u> | <u>0.058</u> mgd |

A.7. Collection System. Indicate the type(s) of collection system(s) used by the treatment plant. Check all that apply. Also estimate the percent contribution (by miles) of each.

☒ Separate sanitary sewer 100 %
☐ Combined storm and sanitary sewer _____ %

A.8. Discharges and Other Disposal Methods.

- a. Does the treatment works discharge effluent to waters of the U.S.?

☒ Yes ☐ No

If yes, list how many of each of the following types of discharge points the treatment works uses:

i. Discharges of treated effluent 1
ii. Discharges of untreated or partially treated effluent 0
iii. Combined sewer overflow points 0
iv. Constructed emergency overflows (prior to the headworks) 0
v. Other N/A

- b. Does the treatment works discharge effluent to basins, ponds, or other surface impoundments that do not have outlets for discharge to waters of the U.S.?

☐ Yes ☒ No

If yes, provide the following for each surface impoundment:

Location: _____
Annual average daily volume discharged to surface impoundment(s) _____ mgd
Is discharge _____ continuous or _____ intermittent?

- c. Does the treatment works land-apply treated wastewater?

☐ Yes ☒ No

If yes, provide the following for each land application site:

Location: _____
Number of acres: _____
Annual average daily volume applied to site: _____ Mgd
Is land application _____ continuous or _____ intermittent?

- d. Does the treatment works discharge or transport treated or untreated wastewater to another treatment works?

☒ Yes ☐ No

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe).

Tank Truck

If transport is by a party other than the applicant, provide:

Transporter name: Ashley's Odorless Septic ServiceMailing Address: P.O. Box 856
Lorton, VA 22079Contact person: Shane MajewskiTitle: OwnerTelephone number: (703) 550-5880

For each treatment works that receives this discharge, provide the following:

Name: Norman G. Cole, Jr. Pollution Control PlantMailing Address: 9399 Richmond Highway
Lorton, VA 22079Contact person: Joel KingTitle: Industrial Waste SupervisorTelephone number: (703) 550-9740

If known, provide the NPDES permit number of the treatment works that receives this discharge.

VA0025364

Provide the average daily flow rate from the treatment works into the receiving facility.

0.0005 mgd

- e. Does the treatment works discharge or dispose of its wastewater in a manner not included in A.8.a through A.8.d above (e.g., underground percolation, well injection)?

☐ Yes☒ No

If yes, provide the following for each disposal method:

Description of method (including location and size of site(s) if applicable):

Annual daily volume disposed of by this method: _____

Is disposal through this method _____ continuous or _____ intermittent?

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

A.9. Description of Outfall.

- a. Outfall number 001
- b. Location Lorton 22079
(City or town, if applicable) (Zip Code)
Fairfax Virginia
(County) (State)
38.669217 77.220460
(Latitude) (Longitude)
- c. Distance from shore (if applicable) 3 ft.
- d. Depth below surface (if applicable) 3 ft.
- e. Average daily flow rate .023 mgd
- f. Does this outfall have either an intermittent or a periodic discharge? Yes ☒ No (go to A.9.g.)
- If yes, provide the following information:
- Number of times per year discharge occurs: _____
- Average duration of each discharge: _____
- Average flow per discharge: _____ mgd
- Months in which discharge occurs: _____
- g. Is outfall equipped with a diffuser? Yes ☒ No

A.10. Description of Receiving Waters.

- a. Name of receiving water Massey Creek
- b. Name of watershed (if known) Potomac River
- United States Soil Conservation Service 14-digit watershed code (if known): _____
- c. Name of State Management/River Basin (if known): Potomac River
- United States Geological Survey 8-digit hydrologic cataloging unit code (if known): _____
- d. Critical low flow of receiving stream (if applicable):
acute _____ cfs chronic _____ cfs
- e. Total hardness of receiving stream at critical low flow (if applicable): _____ mg/l of CaCO₃

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

A.11. Description of Treatment.

a. What levels of treatment are provided? Check all that apply.

☐ Primary☒ Secondary☐ Advanced☒ Other. Describe: Tertiary

b. Indicate the following removal rates (as applicable):

Design BOD₅ removal or Design CBOD₅ removal 85 %

Design SS removal 85 %

Design P removal 85 %

Design N removal 85 %

Other N/A %

c. What type of disinfection is used for the effluent from this outfall? If disinfection varies by season, please describe.

Sodium Hypochlorite

If disinfection is by chlorination, is dechlorination used for this outfall?



Yes

☐ No

d. Does the treatment plant have post aeration?



Yes

☐ No

A.12. Effluent Testing Information. All Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three samples and must be no more than four and one-half years apart.

Outfall number: 001

| PARAMETER | MAXIMUM DAILY VALUE | | AVERAGE DAILY VALUE | | |
|----------------------|---------------------|-----------|---------------------|-----------|-------------------|
| | Value | Units | Value | Units | Number of Samples |
| pH (Minimum) | 6.5 | s.u. | | | |
| pH (Maximum) | 7.4 | s.u. | | | |
| Flow Rate | 0.058 | MGD | 0.033 | MGD | 183 |
| Temperature (Winter) | 21.0 | Degrees C | 17.4 | Degrees C | 90 |
| Temperature (Summer) | 25.3 | Degrees C | 22.4 | Degrees C | 90 |

* For pH please report a minimum and a maximum daily value

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | AVERAGE DAILY DISCHARGE | | | ANALYTICAL METHOD | ML / MDL |
|-----------|-------------------------|-------|-------------------------|-------|-------------------|-------------------|----------|
| | Conc. | Units | Conc. | Units | Number of Samples | | |

CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS.

| | | | | | | | | |
|--|--------|-----|------------|------|------------|-----|-----------|----------------|
| BIOCHEMICAL OXYGEN DEMAND (Report one) | BOD-5 | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| | CBOD-5 | 1.7 | mg/L | 1.23 | mg/L | 72 | EPA 405.1 | 5.0 - 7.5 mg/L |
| FECAL COLIFORM | | 5.9 | # / 100 ml | 2.70 | # / 100 ml | 26 | SM 9223B | 126 / 100 ml |
| TOTAL SUSPENDED SOLIDS (TSS) | | 2.7 | mg/L | 1.43 | mg/L | 72 | EPA 160.2 | 6.0 - 9.0 mg/L |

END OF PART A.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).

All applicants with a design flow rate ≥ 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).

B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration.

_____ gpd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

B.2. Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)

- The area surrounding the treatment plant, including all unit processes.
- The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
- Each well where wastewater from the treatment plant is injected underground.
- Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
- Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
- If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.

B.3. Process Flow Diagram or Schematic. Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g., chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

B.4. Operation/Maintenance Performed by Contractor(s).

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor? ☐ Yes ☐ No

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: _____

Mailing Address: _____

Telephone Number: _____

Responsibilities of Contractor: _____

B.5. Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

- a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

- b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

☐ Yes ☐ No

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

- c. If the answer to B.5.b is "Yes," briefly describe, including new maximum daily inflow rate (if applicable).

- d. Provide dates imposed by any compliance schedule or any actual dates of completion for the implementation steps listed below, as applicable. For improvements planned independently of local, State, or Federal agencies, indicate planned or actual completion dates, as applicable. Indicate dates as accurately as possible.

| Implementation Stage | Schedule | Actual Completion |
|----------------------------|----------------|-------------------|
| | MM / DD / YYYY | MM / DD / YYYY |
| - Begin construction | ___/___/___ | ___/___/___ |
| - End construction | ___/___/___ | ___/___/___ |
| - Begin discharge | ___/___/___ | ___/___/___ |
| - Attain operational level | ___/___/___ | ___/___/___ |

- e. Have appropriate permits/clearances concerning other Federal/State requirements been obtained? ☐ Yes ☐ No

Describe briefly: _____

B.6. EFFLUENT TESTING DATA (GREATER THAN 0.1 MGD ONLY).

Applicants that discharge to waters of the US must provide effluent testing data for the following parameters. Provide the indicated effluent testing required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall Number: _____

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | AVERAGE DAILY DISCHARGE | | | ANALYTICAL METHOD | ML / MDL |
|---|-------------------------|-------|-------------------------|-------|-------------------|-------------------|----------|
| | Conc. | Units | Conc. | Units | Number of Samples | | |
| CONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. | | | | | | | |
| AMMONIA (as N) | | | | | | | |
| CHLORINE (TOTAL RESIDUAL, TRC) | | | | | | | |
| DISSOLVED OXYGEN | | | | | | | |
| TOTAL KJELDAHL NITROGEN (TKN) | | | | | | | |
| NITRATE PLUS NITRITE NITROGEN | | | | | | | |
| OIL and GREASE | | | | | | | |
| PHOSPHORUS (Total) | | | | | | | |
| TOTAL DISSOLVED SOLIDS (TDS) | | | | | | | |
| OTHER | | | | | | | |

END OF PART B.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

BASIC APPLICATION INFORMATION

PART C. CERTIFICATION

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.

Indicate which parts of Form 2A you have completed and are submitting:



Basic Application Information packet

Supplemental Application Information packet:



Part D (Expanded Effluent Testing Data)



Part E (Toxicity Testing: Biomonitoring Data)



Part F (Industrial User Discharges and RCRA/CERCLA Wastes)



Part G (Combined Sewer Systems)

ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title Tony L. Sharp, Regional Manager

Signature

Tony L. Sharp

Telephone number

(410) 286-5533

Date signed

11-6-2012

Upon request of the permitting authority, you must submit any other information necessary to assess wastewater treatment practices at the treatment works or identify appropriate permitting requirements.

SEND COMPLETED FORMS TO:

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086**SUPPLEMENTAL APPLICATION INFORMATION****PART D. EXPANDED EFFLUENT TESTING DATA**

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: _____ (Complete once for each outfall discharging effluent to waters of the United States.)

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | | | AVERAGE DAILY DISCHARGE | | | | | ANALYTICAL METHOD | ML/ MDL |
|---|-------------------------|-------|------|-------|-------------------------|-------|------|-------|-------------------|-------------------|---------|
| | Conc. | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | | |
| METALS (TOTAL RECOVERABLE), CYANIDE, PHENOLS, AND HARDNESS. | | | | | | | | | | | |
| ANTIMONY | | | | | | | | | | | |
| ARSENIC | | | | | | | | | | | |
| BERYLLIUM | | | | | | | | | | | |
| CADMIUM | | | | | | | | | | | |
| CHROMIUM | | | | | | | | | | | |
| COPPER | | | | | | | | | | | |
| LEAD | | | | | | | | | | | |
| MERCURY | | | | | | | | | | | |
| NICKEL | | | | | | | | | | | |
| SELENIUM | | | | | | | | | | | |
| SILVER | | | | | | | | | | | |
| THALLIUM | | | | | | | | | | | |
| ZINC | | | | | | | | | | | |
| CYANIDE | | | | | | | | | | | |
| TOTAL PHENOLIC COMPOUNDS | | | | | | | | | | | |
| HARDNESS (AS CaCO ₃) | | | | | | | | | | | |
| Use this space (or a separate sheet) to provide information on other metals requested by the permit writer. | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

Outfall number: _____ (Complete once for each outfall discharging effluent to waters of the United States.)

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | | | AVERAGE DAILY DISCHARGE | | | | | ANALYTICAL METHOD | ML/ MDL |
|------------------------------------|-------------------------|-------|------|-------|-------------------------|-------|------|-------|-------------------|-------------------|---------|
| | Conc. | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | | |
| VOLATILE ORGANIC COMPOUNDS. | | | | | | | | | | | |
| ACROLEIN | | | | | | | | | | | |
| ACRYLONITRILE | | | | | | | | | | | |
| BENZENE | | | | | | | | | | | |
| BROMOFORM | | | | | | | | | | | |
| CARBON TETRACHLORIDE | | | | | | | | | | | |
| CLOROBENZENE | | | | | | | | | | | |
| CHLORODIBROMO-METHANE | | | | | | | | | | | |
| CHLOROETHANE | | | | | | | | | | | |
| 2-CHLORO-ETHYL VINYL ETHER | | | | | | | | | | | |
| CHLOROFORM | | | | | | | | | | | |
| DICHLOROBROMO-METHANE | | | | | | | | | | | |
| 1,1-DICHLOROETHANE | | | | | | | | | | | |
| 1,2-DICHLOROETHANE | | | | | | | | | | | |
| TRANS-1,2-DICHLORO-ETHYLENE | | | | | | | | | | | |
| 1,1-DICHLOROETHYLENE | | | | | | | | | | | |
| 1,2-DICHLOROPROPANE | | | | | | | | | | | |
| 1,3-DICHLORO-PROPYLENE | | | | | | | | | | | |
| ETHYLBENZENE | | | | | | | | | | | |
| METHYL BROMIDE | | | | | | | | | | | |
| METHYL CHLORIDE | | | | | | | | | | | |
| METHYLENE CHLORIDE | | | | | | | | | | | |
| 1,1,2,2-TETRACHLORO-ETHANE | | | | | | | | | | | |
| TETRACHLORO-ETHYLENE | | | | | | | | | | | |
| TOLUENE | | | | | | | | | | | |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

Outfall number: _____ (Complete once for each outfall discharging effluent to waters of the United States.)

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | | | AVERAGE DAILY DISCHARGE | | | | | ANALYTICAL METHOD | ML/ MDL |
|-----------------------|-------------------------|-------|------|-------|-------------------------|-------|------|-------|-------------------|-------------------|---------|
| | Conc. | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | | |
| 1,1,1-TRICHLOROETHANE | | | | | | | | | | | |
| 1,1,2-TRICHLOROETHANE | | | | | | | | | | | |
| TRICHLORETHYLENE | | | | | | | | | | | |
| VINYL CHLORIDE | | | | | | | | | | | |

Use this space (or a separate sheet) to provide information on other volatile organic compounds requested by the permit writer.

| | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|

ACID-EXTRACTABLE COMPOUNDS

| | | | | | | | | | | | |
|-----------------------|--|--|--|--|--|--|--|--|--|--|--|
| P-CHLORO-M-CRESOL | | | | | | | | | | | |
| 2-CHLOROPHENOL | | | | | | | | | | | |
| 2,4-DICHLOROPHENOL | | | | | | | | | | | |
| 2,4-DIMETHYLPHENOL | | | | | | | | | | | |
| 4,6-DINITRO-O-CRESOL | | | | | | | | | | | |
| 2,4-DINITROPHENOL | | | | | | | | | | | |
| 2-NITROPHENOL | | | | | | | | | | | |
| 4-NITROPHENOL | | | | | | | | | | | |
| PENTACHLOROPHENOL | | | | | | | | | | | |
| PHENOL | | | | | | | | | | | |
| 2,4,6-TRICHLOROPHENOL | | | | | | | | | | | |

Use this space (or a separate sheet) to provide information on other acid-extractable compounds requested by the permit writer.

| | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|

BASE-NEUTRAL COMPOUNDS

| | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|
| ACENAPHTHENE | | | | | | | | | | | |
| ACENAPHTHYLENE | | | | | | | | | | | |
| ANTHRACENE | | | | | | | | | | | |
| BENZIDINE | | | | | | | | | | | |
| BENZO(A)ANTHRACENE | | | | | | | | | | | |
| BENZO(A)PYRENE | | | | | | | | | | | |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

Outfall number: _____ (Complete once for each outfall discharging effluent to waters of the United States.)

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | | | AVERAGE DAILY DISCHARGE | | | | | ANALYTICAL METHOD | ML/ MDL |
|--------------------------------|-------------------------|-------|------|-------|-------------------------|-------|------|-------|-------------------|-------------------|---------|
| | Conc. | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | | |
| 3,4 BENZO-FLUORANTHENE | | | | | | | | | | | |
| BENZO(GH)PERYLENE | | | | | | | | | | | |
| BENZO(K)FLUORANTHENE | | | | | | | | | | | |
| BIS (2-CHLOROETHOXY) METHANE | | | | | | | | | | | |
| BIS (2-CHLOROETHYL)-ETHER | | | | | | | | | | | |
| BIS (2-CHLOROISO-PROPYL) ETHER | | | | | | | | | | | |
| BIS (2-ETHYLHEXYL) PHTHALATE | | | | | | | | | | | |
| 4-BROMOPHENYL PHENYL ETHER | | | | | | | | | | | |
| BUTYL BENZYL PHTHALATE | | | | | | | | | | | |
| 2-CHLORONAPHTHALENE | | | | | | | | | | | |
| 4-CHLORPHENYL PHENYL ETHER | | | | | | | | | | | |
| CHRYSENE | | | | | | | | | | | |
| DI-N-BUTYL PHTHALATE | | | | | | | | | | | |
| DI-N-OCTYL PHTHALATE | | | | | | | | | | | |
| DIBENZO(A,H) ANTHRACENE | | | | | | | | | | | |
| 1,2-DICHLOROBENZENE | | | | | | | | | | | |
| 1,3-DICHLOROBENZENE | | | | | | | | | | | |
| 1,4-DICHLOROBENZENE | | | | | | | | | | | |
| 3,3-DICHLOROBENZIDINE | | | | | | | | | | | |
| DIETHYL PHTHALATE | | | | | | | | | | | |
| DIMETHYL PHTHALATE | | | | | | | | | | | |
| 2,4-DINITROTOLUENE | | | | | | | | | | | |
| 2,6-DINITROTOLUENE | | | | | | | | | | | |
| 1,2-DIPHENYLHYDRAZINE | | | | | | | | | | | |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

Outfall number: _____ (Complete once for each outfall discharging effluent to waters of the United States.)

| POLLUTANT | MAXIMUM DAILY DISCHARGE | | | | AVERAGE DAILY DISCHARGE | | | | | ANALYTICAL METHOD | ML/ MDL |
|----------------------------|-------------------------|-------|------|-------|-------------------------|-------|------|-------|-------------------|-------------------|---------|
| | Conc. | Units | Mass | Units | Conc. | Units | Mass | Units | Number of Samples | | |
| FLUORANTHENE | | | | | | | | | | | |
| FLUORENE | | | | | | | | | | | |
| HEXACHLOROBENZENE | | | | | | | | | | | |
| HEXACHLOROBUTADIENE | | | | | | | | | | | |
| HEXACHLOROCYCLO-PENTADIENE | | | | | | | | | | | |
| HEXACHLOROETHANE | | | | | | | | | | | |
| INDENO(1,2,3-CD)PYRENE | | | | | | | | | | | |
| ISOPHORONE | | | | | | | | | | | |
| NAPHTHALENE | | | | | | | | | | | |
| NITROBENZENE | | | | | | | | | | | |
| N-NITROSODI-N-PROPYLAMINE | | | | | | | | | | | |
| N-NITROSODI- METHYLAMINE | | | | | | | | | | | |
| N-NITROSODI-PHENYLAMINE | | | | | | | | | | | |
| PHENANTHRENE | | | | | | | | | | | |
| PYRENE | | | | | | | | | | | |
| 1,2,4-TRICHLOROBENZENE | | | | | | | | | | | |

Use this space (or a separate sheet) to provide information on other base-neutral compounds requested by the permit writer.

Use this space (or a separate sheet) to provide information on other pollutants (e.g., pesticides) requested by the permit writer.

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION
PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete.

E.1. Required Tests.

Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.

_____ chronic _____ acute

E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.

Test number: _____ Test number: _____ Test number: _____

a. Test information.

| | | | |
|-----------------------------------|--|--|--|
| Test species & test method number | | | |
| Age at initiation of test | | | |
| Outfall number | | | |
| Dates sample collected | | | |
| Date test started | | | |
| Duration | | | |

b. Give toxicity test methods followed.

| | | | |
|--|--|--|--|
| Manual title | | | |
| Edition number and year of publication | | | |
| Page number(s) | | | |

c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used.

| | | | |
|-------------------|--|--|--|
| 24-Hour composite | | | |
| Grab | | | |

d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each)

| | | | |
|----------------------|--|--|--|
| Before disinfection | | | |
| After disinfection | | | |
| After dechlorination | | | |

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

Test number: _____

Test number: _____

Test number: _____

e. Describe the point in the treatment process at which the sample was collected.

Sample was collected:

f. For each test, include whether the test was intended to assess chronic toxicity, acute toxicity, or both.

Chronic toxicity

Acute toxicity

g. Provide the type of test performed.

Static

Static-renewal

Flow-through

h. Source of dilution water. If laboratory water, specify type; if receiving water, specify source.

Laboratory water

Receiving water

i. Type of dilution water. If salt water, specify "natural" or type of artificial sea salts or brine used.

Fresh water

Salt water

j. Give the percentage effluent used for all concentrations in the test series.

k. Parameters measured during the test. (State whether parameter meets test method specifications)

pH

Salinity

Temperature

Ammonia

Dissolved oxygen

l. Test Results.

Acute:

Percent survival in 100% effluent

%

%

%

LC₅₀

95% C.I.

%

%

%

Control percent survival

%

%

%

Other (describe)

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

Chronic:

| | | | |
|--------------------------|---|---|---|
| NOEC | % | % | % |
| IC ₂₅ | % | % | % |
| Control percent survival | % | % | % |
| Other (describe) | | | |

m. Quality Control/Quality Assurance.

| | | | |
|---|--|--|--|
| Is reference toxicant data available? | | | |
| Was reference toxicant test within acceptable bounds? | | | |
| What date was reference toxicant test run (MM/DD/YYYY)? | | | |
| Other (describe) | | | |

E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation?

___ Yes ___ No

If yes, describe: _____

E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results.

Date submitted: _____ (MM/DD/YYYY)

Summary of results: (see instructions)

END OF PART E.**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE.**

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES

All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F.

GENERAL INFORMATION:

F.1. **Pretreatment Program.** Does the treatment works have, or is it subject to, an approved pretreatment program?

___ Yes ___ No

F.2. **Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs).** Provide the number of each of the following types of industrial users that discharge to the treatment works.

a. Number of non-categorical SIUs. _____

b. Number of CIUs. _____

SIGNIFICANT INDUSTRIAL USER INFORMATION:

Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU.

F.3. **Significant Industrial User Information.** Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessary.

Name: _____

Mailing Address: _____

F.4. **Industrial Processes.** Describe all of the industrial processes that affect or contribute to the SIU's discharge.

F.5. **Principal Product(s) and Raw Material(s).** Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

Principal product(s): _____

Raw material(s): _____

F.6. **Flow Rate.**

a. **Process wastewater flow rate.** Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

_____ gpd (___ continuous or ___ intermittent)

b. **Non-process wastewater flow rate.** Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

_____ gpd (___ continuous or ___ intermittent)

F.7. **Pretreatment Standards.** Indicate whether the SIU is subject to the following:

a. Local limits ___ Yes ___ No

b. Categorical pretreatment standards ___ Yes ___ No

If subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

F.8. Problems at the Treatment Works Attributed to Waste Discharged by the SIU. Has the SIU caused or contributed to any problems (e.g., upsets, interference) at the treatment works in the past three years?

☐ Yes ☐ No

If yes, describe each episode.

RCRA HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEDICATED PIPELINE:

F.9. RCRA Waste. Does the treatment works receive or has it in the past three years received RCRA hazardous waste by truck, rail, or dedicated pipe? ☐ Yes ☐ No (go to F.12.)

F.10. Waste Transport. Method by which RCRA waste is received (check all that apply):

☐ Truck ☐ Rail ☐ Dedicated Pipe

F.11. Waste Description. Give EPA hazardous waste number and amount (volume or mass, specify units).

EPA Hazardous Waste NumberAmountUnits

| | | |
|-------|-------|-------|
| <hr/> | <hr/> | <hr/> |
| <hr/> | <hr/> | <hr/> |
| <hr/> | <hr/> | <hr/> |

CERCLA (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CORRECTIVE ACTION WASTEWATER, AND OTHER REMEDIAL ACTIVITY WASTEWATER:

F.12. Remediation Waste. Does the treatment works currently (or has it been notified that it will) receive waste from remedial activities?

☐ Yes (complete F.13 through F.15.)☐ No

Provide a list of sites and the requested information (F.13 - F.15.) for each current and future site.

F.13. Waste Origin. Describe the site and type of facility at which the CERCLA/RCRA/or other remedial waste originates (or is expected to originate in the next five years).

F.14. Pollutants. List the hazardous constituents that are received (or are expected to be received). Include data on volume and concentration, if known. (Attach additional sheets if necessary).

F.15. Waste Treatment.

a. Is this waste treated (or will it be treated) prior to entering the treatment works?

☐ Yes ☐ No

If yes, describe the treatment (provide information about the removal efficiency):

b. Is the discharge (or will the discharge be) continuous or intermittent?

☐ Continuous☐ Intermittent

If intermittent, describe discharge schedule.

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)

- All CSO discharge points.
- Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
- Waters that support threatened and endangered species potentially affected by CSOs.

G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:

- Locations of major sewer trunk lines, both combined and separate sanitary.
- Locations of points where separate sanitary sewers feed into the combined sewer system.
- Locations of in-line and off-line storage structures.
- Locations of flow-regulating devices.
- Locations of pump stations.

CSO OUTFALLS:

Complete questions G.3 through G.6 once for each CSO discharge point.

G.3. Description of Outfall.

- Outfall number _____
- Location
(City or town, if applicable) _____ (Zip Code) _____
(County) _____ (State) _____
(Latitude) _____ (Longitude) _____
- Distance from shore (if applicable) _____ ft.
- Depth below surface (if applicable) _____ ft.
- Which of the following were monitored during the last year for this CSO?
____ Rainfall ____ CSO pollutant concentrations ____ CSO frequency
____ CSO flow volume ____ Receiving water quality
- How many storm events were monitored during the last year? _____

G.4. CSO Events.

- Give the number of CSO events in the last year.
_____ events (____ actual or ____ approx.)
- Give the average duration per CSO event.
_____ hours (____ actual or ____ approx.)

FACILITY NAME AND PERMIT NUMBER:

Harbor View STP VA0029416

Form Approved 1/14/99
OMB Number 2040-0086

- c. Give the average volume per CSO event.

_____ million gallons (_____ actual or _____ approx.)

- d. Give the minimum rainfall that caused a CSO event in the last year.

_____ inches of rainfall

G.5. Description of Receiving Waters.

- a. Name of receiving water: _____

- b. Name of watershed/river/stream system: _____

United States Soil Conservation Service 14-digit watershed code (if known): _____

- c. Name of State Management/River Basin: _____

United States Geological Survey 8-digit hydrologic cataloging unit code (if known): _____

G.6. CSO Operations.

Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).

END OF PART G.

**REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.**

VPDES Permit Application Addendum

1. Entity to whom the permit is to be issued: LOLCHESTER UTILITIES INC
Who will be legally responsible for the wastewater treatment facilities and compliance with the permit? This may or may not be the facility or property owner.

2. Is this facility located within city or town boundaries? Yes ☐ No ☒

3. Provide the tax map parcel number for the land where the discharge is located. 1134 01 0028

4. For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities? 0

5. What is the design average effluent flow of this facility? 0.083 MGD

For industrial facilities, provide the max. 30-day average production level, include units:

N/A

In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Yes ☐ No ☒

If "Yes", please identify the other flow tiers (in MGD) or production levels:

Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design flow considerably greater than your current flow?

6. Nature of operations generating wastewater:

RESIDENTIAL WASTE

100 % of flow from domestic connections/sources

Number of private residences to be served by the treatment works: 170

0 % of flow from non-domestic connections/sources

7. Mode of discharge: ☒ Continuous ☐ Intermittent ☐ Seasonal

Describe frequency and duration of intermittent or seasonal discharges:

8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:

☒ Permanent stream, never dry

☐ Intermittent stream, usually flowing, sometimes dry

☐ Ephemeral stream, wet-weather flow, often dry

☐ Effluent-dependent stream, usually or always dry without effluent flow

☐ Lake or pond at or below the discharge point

☐ Other: _____

9. Approval Date(s):

O & M Manual 1/5/2009 Sludge/Solids Management Plan _____

Have there been any changes in your operations or procedures since the above approval dates? Yes ☐ No ☒

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM

SCREENING INFORMATION

This application is divided into four sections. Section A pertains to all applicants. The applicability of Sections B, C and D depends on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

1. All applicants must complete Section A (General Information).

2. Does this facility generate sewage sludge? ☒ Yes ☐ No

Does this facility derive a material from sewage sludge? ☐ Yes ☒ No

If you answered "Yes" to either, complete Section B (Generation Of Sewage Sludge or Preparation Of A Material Derived From Sewage Sludge).

3. Does this facility apply sewage sludge to the land? ☐ Yes ☒ No

Is sewage sludge from this facility applied to the land? ☐ Yes ☒ No

If you answer "No" to all above, skip Section C.

If you answered "Yes" to either, answer the following three questions:

a. Does the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 1-8, as identified in the instructions?
☐ Yes ☐ No

b. Is sewage sludge from this facility placed in a bag or other container for sale or give-away for application to the land?
☐ Yes ☐ No

c. Is sewage sludge from this facility sent to another facility for treatment or blending? ☒ Yes ☐ No

If you answered "No" to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered "Yes" to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? ☐ Yes ☒ No

If "Yes", complete Section D (Surface Disposal).

FACILITY NAME: HARBOR VIEWVPDES PERMIT NUMBER: VA0029416

SECTION A. GENERAL INFORMATION

All applicants must complete this section.

1. Facility Information.

- a. Facility name: HARBOR VIEW STP
- b. Contact person: TONY SHARP
Title: REGIONAL MANAGER
Phone: (410) 286-5533
- c. Mailing address:
Street or P.O. Box: 10609 GREENE DR.
City or Town: LORTON State: VA Zip: 22079
- d. Facility location:
Street or Route #: 10609 GREENE DR
County: FAIRFAX
City or Town: LORTON State: VA Zip: 22079
- e. Is this facility a Class I sludge management facility? ☐ Yes ☐ No
- f. Facility design flow rate: 0.80 mgd
- g. Total population served: 170 HOMES
- h. Indicate the type of facility:
☐ Publicly owned treatment works (POTW)
☒ Privately owned treatment works
☐ Federally owned treatment works
☐ Blending or treatment operation
☐ Surface disposal site
☐ Other (describe): _____

2. Applicant Information. If the applicant is different from the above, provide the following:

- a. Applicant name: UTILITIES INC OF MARYLAND
- b. Mailing address:
Street or P.O. Box: PO BOX 379
City or Town: DUNKIRK State: MD Zip: 20754
- c. Contact person: TONY SHARP
Title: REGIONAL MANAGER
Phone: (410) 286-5533
- d. Is the applicant the owner or operator (or both) of this facility?
☒ owner ☒ operator
- e. Should correspondence regarding this permit be directed to the facility or the applicant?
☐ facility ☒ applicant

3. Permit Information.

- a. Facility's VPDES permit number (if applicable): VA0029416
- b. List on this form or an attachment, all other federal, state or local permits or construction approvals received or applied for that regulate this facility's sewage sludge management practices:

Permit Number: _____ Type of Permit: _____

FACILITY NAME: HARBOR VIEWVPDES PERMIT NUMBER: VA0029416

4. **Indian Country.** Does any generation, treatment, storage, application to land or disposal of sewage sludge from this facility occur in Indian Country? Yes X No If "Yes", describe:

5. **Topographic Map.** Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:

- Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
- Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.

6. **Line Drawing.** Provide a line drawing and/or a narrative description that identifies all sewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.

7. **Contractor Information.** Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? X Yes No

If "Yes", provide the following for each contractor (attach additional pages if necessary).

Name: ASHLEYS SEPTIC SERVICE

Mailing address:

Street or P.O. Box: 11709 MALLARD RD

City or Town: LORTON

State: VA

Zip: 22079

Phone: (703) 530-5880

Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge:

FX11

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

8. **Pollutant Concentrations.** Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 25-31-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

| POLLUTANT | CONCENTRATION (mg/kg dry weight) | SAMPLE DATE | ANALYTICAL METHOD | DETECTION LEVEL FOR ANALYSIS |
|------------|-------------------------------------|----------------|----------------------|---------------------------------|
| Arsenic | | | | |
| Cadmium | | | | |
| Chromium | | | | |
| Copper | | | | |
| Lead | | | | |
| Mercury | | | | |
| Molybdenum | | | | |
| Nickel | | | | |
| Selenium | | | | |
| Zinc | | | | |

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

9. **Certification.** Read and submit the following certification statement with this application. Refer to the instructions to determine who is an officer for purposes of this certification. Indicate which parts of the application you have completed and are submitting:

☒ Section A (General Information)

☒ Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)

☐ Section C (Land Application of Bulk Sewage Sludge)

☐ Section D (Surface Disposal)

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Name and official title TONY L SHARP , REGIONAL MANAGER

Signature Tony L Sharp Date Signed 11-6-2012

Telephone number (410) 286-5533

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

**SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION
OF A MATERIAL DERIVED FROM SEWAGE SLUDGE**

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1. Amount Generated On Site.

Total dry metric tons per 365-day period generated at your facility: 0-013 dry metric tons

2. Amount Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or disposal, provide the following information for each facility from which sewage sludge is received. If you receive sewage sludge from more than one facility, attach additional pages as necessary.

- a. Facility name: _____
- b. Contact Person: _____
Title: _____
Phone: (____) _____
- c. Mailing address: _____
Street or P.O. Box: _____
City or Town: _____ State: _____ Zip: _____
- d. Facility location: _____
(not P.O. Box) _____
- e. Total dry metric tons per 365-day period received from this facility: _____ dry metric tons
- f. Describe, on this form or on another sheet of paper, any treatment processes known to occur at the off-site facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:

3. Treatment Provided at Your Facility.

- a. Which class of pathogen reduction is achieved for the sewage sludge at your facility?
____ Class A ____ Class B ☒ Neither or unknown
- b. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge: _____

- c. Which vector attraction reduction option is met for the sewage sludge at your facility?
____ Option 1 (Minimum 38 percent reduction in volatile solids)
____ Option 2 (Anaerobic process, with bench-scale demonstration)
____ Option 3 (Aerobic process, with bench-scale demonstration)
____ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
____ Option 5 (Aerobic processes plus raised temperature)
____ Option 6 (Raise pH to 12 and retain at 11.5)
____ Option 7 (75 percent solids with no unstabilized solids)
____ Option 8 (90 percent solids with unstabilized solids)
☒ None or unknown
- d. Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: N/A
- e. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above: N/A

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

4. Preparation of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One of Vector Attraction Reduction Options 1-8 (EQ Sludge).

(If sewage sludge from your facility does not meet all of these criteria, skip Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land:

_____ dry metric tons

- b. Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?

_____ Yes _____ No

5. Sale or Give-Away in a Bag or Other Container for Application to the Land.

(Complete this question if you place sewage sludge in a bag or other container for sale or give-away prior to land application. Skip this question if sewage sludge is covered in Question 4.)

- a. Total dry metric tons per 365-day period of sewage sludge placed in a bag or other container at your facility for sale or give-away for application to the land: _____ dry metric tons
- b. Attach, with this application, a copy of all labels or notices that accompany the sewage sludge being sold or given away in a bag or other container for application to the land.

6. Shipment Off Site for Treatment or Blending.

(Complete this question if sewage sludge from your facility is sent to another facility that provides treatment or blending. This question does not apply to sewage sludge sent directly to a land application or surface disposal site. Skip this question if the sewage sludge is covered in Questions 4 or 5. If you send sewage sludge to more than one facility, attach additional sheets as necessary.)

- a. Receiving facility name: NORMAN G COLE JR POLLUTION CONTROL PLANT

- b. Facility contact: KAILASH GUPA

Title: DIRECTOR

Phone: (703) 550-9740 EXT 255

- c. Mailing address:

Street or P.O. Box: 9399 RICHMOND HIGHWAY

City or Town: LORTON State: VA Zip: 22079

- d. Total dry metric tons per 365-day period of sewage sludge provided to receiving facility:

0.013 dry metric tons

- e. List, on this form or an attachment, the receiving facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the receiving facility's sewage sludge use or disposal practices:

Permit Number:

Type of Permit:

VA0025364

VPDES

NVRO70714

VA TITLE V OPERATING

- f. Does the receiving facility provide additional treatment to reduce pathogens in sewage sludge from your facility?

☒ Yes _____ No

Which class of pathogen reduction is achieved for the sewage sludge at the receiving facility?

_____ Class A _____ Class B _____ Neither or unknown

Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce pathogens in sewage sludge: INCINERATION

- g. Does the receiving facility provide additional treatment to reduce vector attraction characteristics of the sewage sludge? ☒ Yes _____ No

Which vector attraction reduction option is met for the sewage sludge at the receiving facility?

_____ Option 1 (Minimum 38 percent reduction in volatile solids)

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

- ☐ Option 2 (Anaerobic process, with bench-scale demonstration)
☐ Option 3 (Aerobic process, with bench-scale demonstration)
☐ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
☐ Option 5 (Aerobic processes plus raised temperature)
☐ Option 6 (Raise pH to 12 and retain at 11.5)
☐ Option 7 (75 percent solids with no unstabilized solids)
☐ Option 8 (90 percent solids with unstabilized solids)
☐ None unknown

Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to reduce vector attraction properties of sewage sludge: INCINERATION & LAND FILLING ASH

- h. Does the receiving facility provide any additional treatment or blending not identified in f or g above?
☐ Yes ☒ No

If "Yes", describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:

- i. If you answered "Yes" to f, g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 25-31-530.G.
j. Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give-away for application to the land? ☐ Yes ☒ No

If "Yes", provide a copy of all labels or notices that accompany the product being sold or given away.

- k. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? ☐ Yes ☐ No. If "No", provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.

Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported.

7. Land Application of Bulk Sewage Sludge.

(Complete Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or 6. Complete Question 7.b, c & d only if you are responsible for land application of sewage sludge.)

- a. Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:

_____ dry metric tons


- b. Do you identify all land application sites in Section C of this application? ☐ Yes ☐ No

If "No", submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).

- c. Are any land application sites located in States other than Virginia? ☐ Yes ☐ No

If "Yes", describe, on this form or on another sheet of paper, how you notify the permitting authority for the States where the land application sites are located. Provide a copy of the notification.

- d. Attach a copy of any information you provide to the owner or lease holder of the land application sites to comply with the "notice and necessary" information requirement of 9 VAC 25-31-530 F and/or H (Examples may be obtained in Appendix IV).



0 0.1 0.2 0.3 0.4 0.5 km
 0 0.09 0.18 0.27 0.36 0.45 mi
 UTM 18 306787E 4282195N (NAD27)
Giles Run, USGS Fort Belvoir (VA,MD) Quadrangle
 Projection is UTM Zone 18 NAD83 Datum

M*
 M=-10.64
 G=-1.388

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

8. Surface Disposal.

(Complete Question 8 if sewage sludge from your facility is placed on a surface disposal site.)

a. Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface disposal sites: _____ dry metric tons

b. Do you own or operate all surface disposal sites to which you send sewage sludge for disposal?
____ Yes ____ No

If "No", answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage sludge to more than one surface disposal site, attach additional pages as necessary.

c. Site name or number: _____

d. Contact person: _____

Title: _____

Phone: (_____) _____

Contact is: ____ Site Owner ____ Site operator

e. Mailing address:

Street or P.O. Box: _____

City or Town: _____ State: _____ Zip: _____

f. Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal site: _____ dry metric tons

g. List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface disposal site:

Permit Number: _____ Type of Permit: _____

9. Incineration.

(Complete Question 9 if sewage sludge from your facility is fired in a sewage sludge incinerator.)

a. Total dry metric tons per 365-day period of sewage sludge from your facility fired in a sewage sludge incinerator: _____ dry metric tons

b. Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired?
____ Yes ____ No

If "No", answer questions c - g for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one sewage sludge incinerator, attach additional pages as necessary.

c. Incinerator name or number: _____

d. Contact person: _____

Title: _____

Phone: (_____) _____

Contact is: ____ Incinerator Owner ____ Incinerator Operator

e. Mailing address:

Street or P.O. Box: _____

City or Town: _____ State: _____ Zip: _____

f. Total dry metric tons per 365-day period of sewage sludge from your facility fired in this sewage sludge incinerator: _____ dry metric tons

g. List on this form or an attachment the numbers of all other federal, state or local permits that regulate the firing

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029466

of sewage sludge at this incinerator:

Permit Number: _____

Type of Permit: _____

10. Disposal in a Municipal Solid Waste Landfill.

(Complete Question 10 if sewage sludge from your facility is placed on a municipal solid waste landfill. Provide the following information for each municipal solid waste landfill on which sewage sludge from your facility is placed. If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.)

- a. Landfill name: _____
- b. Contact person: _____
Title: _____
Phone: (_____) _____
Contact is: _____ Landfill Owner _____ Landfill Operator
- c. Mailing address:
Street or P.O. Box: _____
City or Town: _____ State: _____ Zip: _____
- d. Landfill location.
Street or Route #: _____
County: _____
City or Town: _____ State: _____ Zip: _____
- e. Total dry metric tons per 365-day period of sewage sludge placed in this municipal solid waste landfill:
_____ dry metric tons
- f. List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the operation of this municipal solid waste landfill:
Permit Number: _____ Type of Permit: _____

- g. Does sewage sludge meet applicable requirements in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq., concerning the quality of materials disposed in a municipal solid waste landfill?
_____ Yes _____ No
- h. Does the municipal solid waste landfill comply with all applicable criteria set forth in the Virginia Solid Waste Management Regulation, 9 VAC 20-80-10 et seq.? _____ Yes _____ No
- i. Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill be watertight and covered? _____ Yes _____ No
Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported.

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA002946

SECTION C. LAND APPLICATION OF BULK SEWAGE SLUDGE

Complete this section for sewage sludge that is land applied unless any of the following conditions apply:

- The sewage sludge meets the Table 1 ceiling concentrations, the Table 3 pollutant concentrations, Class A pathogen requirements and one of the vector attraction reduction options 1-8 (fill out B.4 instead) (EQ Sludge); or
- The sewage sludge is sold or given away in a bag or other container for application to the land (fill out B.5 instead); or
- You provide the sewage sludge to another facility for treatment or blending (fill out B.6 instead).

Complete Section C for every site on which the sewage sludge that you reported in B.7 is land applied.

1. Identification of Land Application Site.

- Site name or number: _____
- Site location (Complete i and ii)
 - Street or Route#: _____
County: _____
City or Town: _____ State: _____ Zip: _____
 - Latitude: _____ Longitude: _____
Method of latitude/longitude determination
____ USGS map ____ Filed survey ____ Other
- Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.

2. Owner Information.

- Are you the owner of this land application site? ____ Yes ____ No
- If "No", provide the following information about the owner:
Name: _____
Street or P.O. Box: _____
City or Town: _____ State: _____ Zip: _____
Phone: (____) _____

3. Applier Information:

- Are you the person who applies, or who is responsible for application of, sewage sludge to this land application site?
____ Yes ____ No
- If "No", provide the following information for the person who applies the sewage sludge:
Name: _____
Street or P.O. Box: _____
City or Town: _____ State: _____ Zip: _____
Phone: (____) _____
- List, on this form or an attachment, the numbers of all federal, state or local permits that regulate the person who applies sewage sludge to this land application site:
Permit Number: _____ Type of Permit: _____

4. Site Type. Identify the type of land application site from among the following:

____ Agricultural land ____ Reclamation site ____ Forest
____ Public contact site ____ Other (describe _____)

5. Vector Attraction Reduction.

Are any vector attraction reduction requirements met when sewage sludge is applied to the land application site?

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

☐ Yes ☐ No If "Yes", answer a and b.

a. Indicate which vector attraction reduction option is met:

☐ Option 9 (Injection below land surface)

☐ Option 10 (Incorporation into soil within 6 hours)

b. Describe, on this form or on another sheet of paper, any treatment processes used at the land application site to reduce the vector attraction properties of sewage sludge:

6. Cumulative Loadings and Remaining Allotments.

(Complete Question 6 only if the sewage sludge applied to this site since July 20, 1993 is subject to the cumulative pollutant loading rates (CPLRs) - see instructions.)

a. Have you contacted DEQ or the permitting authority in the state where the sewage sludge subject to the CPLRs will be applied to ascertain whether bulk sewage sludge subject to the CPLRs has been applied to this site since July 20, 1993? ☐ Yes ☐ No

If "No", sewage sludge subject to the CPLRs may not be applied to this site.

If "Yes", provide the following information:

Permitting authority: _____

Contact person: _____

Phone: (_____) _____

b. Based upon this inquiry, has bulk sewage sludge subject to the CPLRs been applied to this site since July 20, 1993? ☐ Yes ☐ No If "No", skip the rest of Question 6. If "Yes", answer questions c - e.

c. Site size, in hectares: _____ (one hectare = 2.471 acres)

d. Provide the following information for every facility other than yours that is sending or has sent sewage sludge subject to the CPLRs to this site since July 20, 1993. If more than one such facility sends sewage sludge to this site, attach additional pages as necessary.

Facility name: _____

Facility contact: _____

Title: _____

Phone: (_____) _____

Mailing address.

Street or P.O. Box: _____

City or Town: _____ State: _____ Zip: _____

e. Provide the total loading and allotment remaining, in kg/hectare, for each of the following pollutants:

| | Cumulative loading | Allotment remaining |
|----------|--------------------|---------------------|
| Arsenic | _____ | _____ |
| Cadmium | _____ | _____ |
| Copper | _____ | _____ |
| Lead | _____ | _____ |
| Mercury | _____ | _____ |
| Nickel | _____ | _____ |
| Selenium | _____ | _____ |
| Zinc | _____ | _____ |

Complete Questions 7-12 below only if you apply sewage sludge, or you are responsible for land application of sewage sludge. Information required by these questions may be prepared as attachments to this form. Skip the following questions if you contract land application to someone else (as indicated under Section A.7) who is responsible for the operation.

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

7. Sludge Characterization. Use the table below or a separate attachment, provide at least one analysis for each parameter.

| | |
|---|-------|
| PCBs (mg/kg) | _____ |
| pH (S. U.) | _____ |
| Percent Solids (%) | _____ |
| Ammonium Nitrogen (mg/kg) | _____ |
| Nitrate Nitrogen (mg/kg) | _____ |
| Total Kjeldahl Nitrogen (mg/kg) | _____ |
| Total Phosphorus (mg/kg) | _____ |
| Total Potassium (mg/kg) | _____ |
| Alkalinity as CaCO_3 * (mg/kg) | _____ |

* Lime treated sludge (10% or more lime by dry weight) should be analyzed for percent CaCO_3 .

8. Storage Requirements.

Existing and proposed sludge storage facilities must provide an estimated annual sludge balance on a monthly basis incorporating such factors as storage capacity, sludge production and land application schedule. Include pertinent calculations justifying storage requirements.

Proposed sludge storage facilities must also provide the following information:

- a. A sludge storage site layout on a 7.5 minute topographic quadrangle or other appropriate scaled map to show the following topographic features of the surrounding landscape to a distance of 0.25 mile. Clearly mark the property line.
 - 1) Water wells, abandoned or operating
 - 2) Surface waters
 - 3) Springs
 - 4) Public water supply(s)
 - 5) Sinkholes
 - 6) Underground and/or surface mines
 - 7) Mine pool (or other) surface water discharge points
 - 8) Mining spoil piles and mine dumps
 - 9) Quarry(s)
 - 10) Sand and gravel pits
 - 11) Gas and oil wells
 - 12) Diversion ditch(s)
 - 13) Agricultural drainage ditch(s)
 - 14) Occupied dwellings, including industrial and commercial establishments
 - 15) Landfills or dumps
 - 16) Other unlined impoundments
 - 17) Septic tanks and drainfields
 - 18) Injection wells
 - 19) Rock outcrops
- b. A topographic map of sufficient detail to clearly show the following information:
 - 1) Maximum and minimum percent slopes
 - 2) Depressions on the site that may collect water
 - 3) Drainageways that may attribute to rainfall run-on to or runoff from this site
 - 4) Portions of the site (if any) which are located with the 100-year floodplain and how the storage facility will be protected from flooding
- c. Data and specifications for the storage facility lining material.
- d. Plan and cross-sectional views of the storage facility.
- e. Depth from the bottom of the storage facility to the seasonal high water table and separation distance to the permanent water table.

9. Land Area Requirements. Provide calculations justifying the land area requirements for land application of sewage

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0009476

sludge taking into consideration average soil productivity group, crop(s) to be grown and most limiting factor(s) of the sewage sludge, specifically Plant Available Nitrogen (PAN), Calcium Carbonate Equivalence (CCE), and metal loadings (CPLR sewage sludge only), where applicable. Relate PAN, CCE, and metal loadings to demonstrate the most limiting factor for land application.

10. **Landowner Agreement Forms.** Provide a properly completed Sewage Sludge Application Agreement Form (attached) for each landowner if sewage sludge is to be applied onto land not owned by the applicant.

11. **Ground Water Monitoring.**

Are any ground water monitoring data available for this land application site? ☐ Yes ☐ No

If "Yes", submit the ground water monitoring data with this permit application. Also submit a written description of the well locations, approximate depth to ground water, and the ground water monitoring procedures used to obtain these data.

12. **Land Application Site Information.**

(Complete Items a-d for sites receiving infrequent application - land application of sewage sludge up to the agronomic rate at a frequency of once in a 3 year period; complete Items a-h for sites receiving frequent application - land application of sewage sludge in excess of 70% the agronomic rate at a frequency greater than once in a 3 year period)

- a. Provide a general location map for each county which clearly indicates the location of all the land application sites.
- b. For each land application site provide a site plan of sufficient detail to clearly show the concerned landscape features and associated buffer zones (See instructions). Provide a legend for each landscape feature and the net acreage for each field taking into account the proposed buffer zones.
- c. In order to ensure that land application of bulk sewage sludge will not impact federally listed threatened or endangered species or federally designated critical habitat, the applicant must notify the field office of the U. S. Department of the Interior, Fish and Wildlife Service (FWS), by a letter, the proposed land application activities with the identification of the land application sites. The address and phone number of FWS are provided below.

U.S. Fish and Wildlife Service
Virginia Field Office
P.O. Box 480
White Marsh, VA 23183
TEL: (804) 693-6694

Provide a copy of the notification letter with this application form.

- d. Provide a soil survey map, preferably photographically based, with the field boundaries clearly marked. (A USDA-SCS soil survey map should be provided, if available.)

Provide a detailed legend for each soil survey map which uses accepted USDA-SCS descriptions of the typifying pedon for each soil series (soil type). Complex associations may be described as a range of characteristics. Soil descriptions shall include as a minimum the following information.

- 1) Soil symbol
- 2) Soil series, textural phase and slope range
- 3) Depth to seasonal high water table
- 4) Depth to bedrock
- 5) Estimated soil productivity group (for the proposed crop rotation)

Item e - h are required for sites receiving frequent application of sewage sludge

- e. In order to verify the information provided in item d, characterize the soil at each land application site. Representative soil borings or test pits to a depth of five feet or to bedrock if shallower, are to be coordinated for the typifying pedon of each soil series (soil type). Soil descriptions shall include as a minimum the following information:

- 1) Soil symbol
- 2) Soil series, textural phase and slope range
- 3) Depth to seasonal high water table
- 4) Depth to bedrock
- 5) Estimated soil productivity group (for the proposed crop rotation)

- f. Collect and analyze soil samples from each field, weighted to best represent each of the soil borings performed for Item e. Using the table below or a separate attachment, provide at least one analysis per sample for each of the

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

following parameters.

| | |
|--|-------|
| Soil Organic Matter (%) | _____ |
| Soil pH (std. units) | _____ |
| Cation Exchange Capacity (meq/100g) | _____ |
| Total Nitrogen (ppm) | _____ |
| Organic Nitrogen (ppm) | _____ |
| Ammonia Nitrogen (ppm) | _____ |
| Nitrate Nitrogen (ppm) | _____ |
| Available Phosphorus (ppm) | _____ |
| Exchangeable Potassium (mg/100g) | _____ |
| Exchangeable Sodium (mg/100g) | _____ |
| Exchangeable Calcium (mg/100g) | _____ |
| Exchangeable Magnesium (mg/100g) | _____ |
| Arsenic (ppm) | _____ |
| Cadmium (ppm) | _____ |
| Copper (ppm) | _____ |
| Lead (ppm) | _____ |
| Mercury (ppm) | _____ |
| Molybdenum (ppm) | _____ |
| Nickel (ppm) | _____ |
| Selenium (ppm) | _____ |
| Zinc (ppm) | _____ |
| Manganese (ppm) | _____ |
| Particle Size Analysis or USDA Textural Estimate (%) | _____ |

- g. Relate the crop nutrient needs to anticipated yields, soil productivity rating and the various fertilizer or nutrient sources from sludge and chemical fertilizers. Describe any specialized agronomic management practices which may be required as a result of high soil pH. If the sludge is expected to possess an unusually high CCE or other unusual properties, provide a description of any plant tissue testing, supplemental fertilization or intensive agronomic management practices which may be necessary.
- h. Using a narrative format and referencing any related charts, describe the proposed cropping system. Show how the crop rotation and management will be coordinated with the design of the land application system. Include any supplemental fertilization program, soil testing and the coordination of tillage practices, planting and harvesting schedules and timing of land application.

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA009416

SEWAGE SLUDGE APPLICATION AGREEMENT

This sewage sludge application agreement is made on this date _____ between _____, referred to here as "landowner", and _____, referred to here as the "Permittee".

Landowner is the owner of agricultural land shown on the map attached as Exhibit A and designated there as _____ ("landowner's land"). Permittee agrees to apply and landowner agrees to comply with certain permit requirements following application of sewage sludge on landowner's land in amounts and in a manner authorized by VPDES permit number _____ which is held by the Permittee.

Landowner acknowledges that the appropriate application of sewage sludge will be beneficial in providing fertilizer and soil conditioning to the property. Moreover, landowner acknowledges having been expressly advised that, in order to protect public health, the following site restrictions must be adhered to when sewage sludge receives Class B treatment for pathogen reduction:

1. Food crops with harvested parts that touch the sewage sludge/soil mixture and are totally above the land surface shall not be harvested for 14 months after application of sewage sludge;
2. Food crops with harvested parts below the surface of the land shall not be harvested for 20 months after application of sewage sludge when the sewage sludge remains on the land surface for four months or longer prior to incorporation into the soil;
3. Food crops with harvested parts below the surface of the land shall not be harvested for 38 months after application of sewage sludge when the sewage sludge remains on the land surface for less than four months prior to incorporation into the soil;
4. Food crops, feed crops, and fiber crops shall not be harvested for 30 days after application of sewage sludge;
5. Animals shall not be grazed on the land for 30 days after application of sewage sludge;
6. Turf grown on land where sewage sludge is applied shall not be harvested for one year after application of the sewage sludge when the harvested turf is placed on either land with a high potential for public exposure or a lawn, unless otherwise specified by the State Water Control Board;
7. Public access to land with a high potential for public exposure shall be restricted for one year after application of sewage sludge;
8. Public access to land with a low potential for public exposure shall be restricted for 30 days after application of sewage sludge.
9. Tobacco, because it has been shown to accumulate cadmium, should not be grown on landowner's land for three years following the application of sewage sludge borne cadmium equal to or exceeding 0.5 kilograms/hectare (0.45 pounds/acre).

Permittee agrees to notify landowner or landowner's designee of the proposed schedule for sewage sludge application and specifically prior to any particular application to landowner's land. This agreement may be terminated by either party upon written notice to the address specified below.

Landowner:

Permittee:

Signature

Signature

Mailing Address

Mailing Address

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

SECTION D. SURFACE DISPOSAL

Complete this section only if you own or operate a surface disposal site. Provide the information for each active sewage sludge unit.

1. Information on Active Sewage Sludge Units.

- a. Unit name or number: _____
- b. Unit location
- i. Street or Route#: _____
County: _____
City or Town: _____ State: _____ Zip: _____
- ii. Latitude: _____ Longitude: _____
Method of latitude/longitude determination
____ USGS map ____ Filed survey ____ Other
- c. Topographic map. Provide a topographic map (or other appropriate map if a topographic map is unavailable) that shows the site location.
- d. Total dry metric tons of sewage sludge placed on the active sewage sludge unit per 365-day period:
_____ dry metric tons.
- e. Total dry metric tons of sewage sludge placed on the active sewage sludge unit over the life of the unit:
_____ dry metric tons.
- f. Does the active sewage sludge unit have a liner with a minimum hydraulic conductivity of 1×10^{-7} cm/sec?
____ Yes ____ No If "Yes", describe the liner or attach a description.

- g. Does the active sewage sludge unit have a leachate collection system? ____ Yes ____ No
If "Yes", describe the leachate collection system or attach a description. Also, describe the method used for leachate disposal and provide the numbers of any federal, state or local permits for leachate disposal:

- h. If you answered "No" to either f or g, answer the following:
Is the boundary of the active sewage sludge unit less than 150 meters from the property line of the surface disposal site? ____ Yes ____ No If "Yes", provide the actual distance in meters: _____
- i. Remaining capacity of active sewage sludge unit, in dry metric tons: _____ dry metric tons
Anticipated closure date for active sewage sludge unit, if known: _____ (MM/DD/YYYY)
Provide with this application a copy of any closure plan developed for this active sewage sludge unit.

2. Sewage Sludge from Other Facilities.

Is sewage sludge sent to this active sewage sludge unit from any facilities other than yours? ____ Yes ____ No
If "Yes", provide the following information for each such facility, attach additional sheets as necessary.

- a. Facility name: _____
- b. Facility contact: _____
Title: _____
Phone: (_____) _____
- c. Mailing address:
Street or P.O. Box: _____
City or Town: _____ State: _____ Zip: _____

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029406

- d. List, on this form or an attachment, the facility's VPDES permit number as well as the numbers of all other federal, state or local permits that regulate the facility's sewage sludge management practices:

Permit Number:

Type of Permit:

- e. Which class of pathogen reduction is achieved before sewage sludge leaves the other facility?
____ Class A ____ Class B ____ Neither or unknown

- f. Describe, on this form or on another sheet of paper, any treatment processes used at the other facility to reduce pathogens in sewage sludge: _____

- g. Which vector attraction reduction option is achieved before sewage sludge leaves the other facility?

____ Option 1 (Minimum 38 percent reduction in volatile solids)
____ Option 2 (Anaerobic process, with bench-scale demonstration)
____ Option 3 (Aerobic process, with bench-scale demonstration)
____ Option 4 (Specific oxygen uptake rate for aerobically digested sludge)
____ Option 5 (Aerobic processes plus raised temperature)
____ Option 6 (Raise pH to 12 and retain at 11.5)
____ Option 7 (75 percent solids with no unstabilized solids)
____ Option 8 (90 percent solids with unstabilized solids)
____ None or unknown

- h. Describe, on this form or another sheet of paper, any treatment processes used at the other facility to reduce vector attraction properties of sewage sludge: _____

- i. Describe, on this form or another sheet of paper, any other sewage sludge treatment activities performed by the other facility that are not identified in e - h above: _____

3. Vector Attraction Reduction.

- a. Which vector attraction reduction option, if any, is met when sewage sludge is placed on this active sewage sludge unit?

____ Option 9 (Injection below land surface)
____ Option 10 (Incorporation into soil within 6 hours)
____ Option 11 (Covering active sewage sludge unit daily)

- b. Describe, on this form or another sheet of paper, any treatment processes used at the active sewage sludge unit to reduce vector attraction properties of sewage sludge: _____

4. Ground Water Monitoring.

- a. Is ground water monitoring currently conducted at this active sewage sludge unit or are ground water monitoring data otherwise available for this active sewage sludge unit? ____ Yes ____ No

If "Yes", provide a copy of available ground water monitoring data. Also provide a written description of the well locations, the approximate depth to ground water, and the ground water monitoring procedures used to obtain these

FACILITY NAME: HARBOR VIEW

VPDES PERMIT NUMBER: VA0029416

data.

- b. Has a ground water monitoring program been prepared for this active sewage sludge unit?
_____ Yes _____ No If "Yes", submit a copy of the ground water monitoring program with this application.
- c. Have you obtained a certification from a qualified ground water scientist that the aquifer below the active sewage sludge unit has not been contaminated? _____ Yes _____ No

If "Yes", submit a copy of the certification with this application.

5. Site-Specific Limits.

Are you seeking site-specific pollutant limits for the sewage sludge placed on the active sewage sludge unit?

_____ Yes _____ No If "Yes", submit information to support the request for site-specific pollutant limits with this application.

